



Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.



Attestation of Conformity

Attestation number: BCT13BC-0240E

Report number: BCT13BR-0240E

The device, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of FCC Part15 Subpart B Rules

All measurements contained in this report were conducted with ANSI C63.4-2009, American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the range of 9 kHz to 40 GHz.

Applicant: **Shenzhen teng da xing Electron Co.,Ltd**

Address: 4th Floor, Block B, Fusen Industrial Park, Hengcheng road, Xixiang, Bao' an District, Shenzhen, Guangdong Province. China

Manufacturer: **Shenzhen teng da xing Electron Co.,Ltd**

Address: 4th Floor, Block B, Fusen Industrial Park, Hengcheng road, Xixiang, Bao' an District, Shenzhen, Guangdong Province. China

Product: **Adapter**

Model: **TDX-xxx yyyy(xxx= 050~480,stand for Output voltage 5-48V;
yyyy= 0001~3000,stand for Output current 0-3A)**

Laboratory Name: **Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.**

FCC Registration Number: 338263

The results in this report are applicable only to the equipment tested.

This report shall not be re-produced except in full without the written approval of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Attestation by:

Kendy Wang



Date of Issue: March 9, 2013

1/F, Block East H-3, OCT Eastern Ind. Zone, Qiaocheng East Road, Nanshan, Shenzhen, China

Tel: +86-755-86337020 Fax: +86-755-86337028 <http://www.bontek.com.cn>

Attachment File For The BCT13BC-0240E

Model list

TDX-xxx yyyy Series Model List :

xxx= 050~480 (stand for Output voltage 5-48V)

yyyy= 0001~3000 (stand for Output current 0-3A)

Item	Model	Output voltage(V)	output current(A)
1	TDX-050yyyy	5	0.001-3.00
2	TDX-051yyyy	5.1	0.001-3.00
3	TDX-052yyyy	5.2	0.001-3.00
4	TDX-053yyyy	5.3	0.001-3.00
5	TDX-054yyyy	5.4	0.001-3.00
6	TDX-055yyyy	5.5	0.001-3.00
7	TDX-056yyyy	5.6	0.001-3.00
8	TDX-057yyyy	5.7	0.001-3.00
9	TDX-058yyyy	5.8	0.001-3.00
10	TDX-059yyyy	5.9	0.001-3.00
11	TDX-060yyyy	6	0.001-3.00
12	TDX-061yyyy	6.1	0.001-3.00
13	TDX-062yyyy	6.2	0.001-3.00
14	TDX-063yyyy	6.3	0.001-3.00
15	TDX-064yyyy	6.4	0.001-3.00
16	TDX-065yyyy	6.5	0.001-3.00
17	TDX-066yyyy	6.6	0.001-3.00
18	TDX-067yyyy	6.7	0.001-3.00
19	TDX-068yyyy	6.8	0.001-3.00
20	TDX-069yyyy	6.9	0.001-3.00
21	TDX-070yyyy	7	0.001-3.00
22	TDX-071yyyy	7.1	0.001-3.00
23	TDX-072yyyy	7.2	0.001-3.00
24	TDX-073yyyy	7.3	0.001-3.00
25	TDX-074yyyy	7.4	0.001-3.00
26	TDX-075yyyy	7.5	0.001-3.00
27	TDX-076yyyy	7.6	0.001-3.00
28	TDX-077yyyy	7.7	0.001-3.00
29	TDX-078yyyy	7.8	0.001-3.00

Page 1 of 13

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
30	TDX-079yyyy	7.9	0.001-3.00
31	TDX-080yyyy	8	0.001-3.00
32	TDX-081yyyy	8.1	0.001-2.96
33	TDX-082yyyy	8.2	0.001-2.93
34	TDX-083yyyy	8.3	0.001-2.89
35	TDX-084yyyy	8.4	0.001-2.86
36	TDX-085yyyy	8.5	0.001-2.82
37	TDX-086yyyy	8.6	0.001-2.79
38	TDX-087yyyy	8.7	0.001-2.76
39	TDX-088yyyy	8.8	0.001-2.73
40	TDX-089yyyy	8.9	0.001-2.70
41	TDX-090yyyy	9	0.001-2.67
42	TDX-091yyyy	9.1	0.001-2.64
43	TDX-092yyyy	9.2	0.001-2.61
44	TDX-093yyyy	9.3	0.001-2.58
45	TDX-094yyyy	9.4	0.001-2.55
46	TDX-095yyyy	9.5	0.001-2.53
47	TDX-096yyyy	9.6	0.001-2.50
48	TDX-097yyyy	9.7	0.001-2.47
49	TDX-098yyyy	9.8	0.001-2.45
50	TDX-099yyyy	9.9	0.001-2.42
51	TDX-100yyyy	10	0.001-2.40
52	TDX-101yyyy	10.1	0.001-2.38
53	TDX-102yyyy	10.2	0.001-2.35
54	TDX-103yyyy	10.3	0.001-2.33
55	TDX-104yyyy	10.4	0.001-2.31
56	TDX-105yyyy	10.5	0.001-2.29
57	TDX-106yyyy	10.6	0.001-2.26
58	TDX-107yyyy	10.7	0.001-2.24
59	TDX-108yyyy	10.8	0.001-2.22
60	TDX-109yyyy	10.9	0.001-2.20
61	TDX-110yyyy	11	0.001-2.18
62	TDX-111yyyy	11.1	0.001-2.16
63	TDX-112yyyy	11.2	0.001-2.14
64	TDX-113yyyy	11.3	0.001-2.12
65	TDX-114yyyy	11.4	0.001-2.11

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
66	TDX-115yyyy	11.5	0.001-2.09
67	TDX-116yyyy	11.6	0.001-2.07
68	TDX-117yyyy	11.7	0.001-2.05
69	TDX-118yyyy	11.8	0.001-2.03
70	TDX-119yyyy	11.9	0.001-2.02
71	TDX-120yyyy	12	0.001-2.00
72	TDX-121yyyy	12.1	0.001-1.98
73	TDX-122yyyy	12.2	0.001-1.97
74	TDX-123yyyy	12.3	0.001-1.95
75	TDX-124yyyy	12.4	0.001-1.94
76	TDX-125yyyy	12.5	0.001-1.92
77	TDX-126yyyy	12.6	0.001-1.90
78	TDX-127yyyy	12.7	0.001-1.89
79	TDX-128yyyy	12.8	0.001-1.88
80	TDX-129yyyy	12.9	0.001-1.86
81	TDX-130yyyy	13	0.001-1.85
82	TDX-131yyyy	13.1	0.001-1.83
83	TDX-132yyyy	13.2	0.001-1.82
84	TDX-133yyyy	13.3	0.001-1.80
85	TDX-134yyyy	13.4	0.001-1.79
86	TDX-135yyyy	13.5	0.001-1.78
87	TDX-136yyyy	13.6	0.001-1.76
88	TDX-137yyyy	13.7	0.001-1.75
89	TDX-138yyyy	13.8	0.001-1.74
90	TDX-139yyyy	13.9	0.001-1.73
91	TDX-140yyyy	14	0.001-1.71
92	TDX-141yyyy	14.1	0.001-1.70
93	TDX-142yyyy	14.2	0.001-1.69
94	TDX-143yyyy	14.3	0.001-1.68
95	TDX-144yyyy	14.4	0.001-1.67
96	TDX-145yyyy	14.5	0.001-1.66
97	TDX-146yyyy	14.6	0.001-1.64
98	TDX-147yyyy	14.7	0.001-1.63
99	TDX-148yyyy	14.8	0.001-1.62
100	TDX-149yyyy	14.9	0.001-1.61
101	TDX-150yyyy	15	0.001-1.60

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
102	TDX-151yyyy	15.1	0.001-1.59
103	TDX-152yyyy	15.2	0.001-1.58
104	TDX-153yyyy	15.3	0.001-1.57
105	TDX-154yyyy	15.4	0.001-1.56
106	TDX-155yyyy	15.5	0.001-1.55
107	TDX-156yyyy	15.6	0.001-1.54
108	TDX-157yyyy	15.7	0.001-1.53
109	TDX-158yyyy	15.8	0.001-1.52
110	TDX-159yyyy	15.9	0.001-1.51
111	TDX-160yyyy	16	0.001-1.50
112	TDX-161yyyy	16.1	0.001-1.49
113	TDX-162yyyy	16.2	0.001-1.48
114	TDX-163yyyy	16.3	0.001-1.47
115	TDX-164yyyy	16.4	0.001-1.46
116	TDX-165yyyy	16.5	0.001-1.45
117	TDX-166yyyy	16.6	0.001-1.45
118	TDX-167yyyy	16.7	0.001-1.44
119	TDX-168yyyy	16.8	0.001-1.43
120	TDX-169yyyy	16.9	0.001-1.42
121	TDX-170yyyy	17	0.001-1.41
122	TDX-171yyyy	17.1	0.001-1.40
123	TDX-172yyyy	17.2	0.001-1.40
124	TDX-173yyyy	17.3	0.001-1.39
125	TDX-174yyyy	17.4	0.001-1.38
126	TDX-175yyyy	17.5	0.001-1.37
127	TDX-176yyyy	17.6	0.001-1.36
128	TDX-177yyyy	17.7	0.001-1.36
129	TDX-178yyyy	17.8	0.001-1.35
130	TDX-179yyyy	17.9	0.001-1.34
131	TDX-180yyyy	18	0.001-1.33
132	TDX-181yyyy	18.1	0.001-1.33
133	TDX-182yyyy	18.2	0.001-1.32
134	TDX-183yyyy	18.3	0.001-1.31
135	TDX-184yyyy	18.4	0.001-1.30
136	TDX-185yyyy	18.5	0.001-1.30
137	TDX-186yyyy	18.6	0.001-1.29

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
138	TDX-187yyyy	18.7	0.001-1.28
139	TDX-188yyyy	18.8	0.001-1.28
140	TDX-189yyyy	18.9	0.001-1.27
141	TDX-190yyyy	19	0.001-1.26
142	TDX-191yyyy	19.1	0.001-1.26
143	TDX-192yyyy	19.2	0.001-1.25
144	TDX-193yyyy	19.3	0.001-1.24
145	TDX-194yyyy	19.4	0.001-1.24
146	TDX-195yyyy	19.5	0.001-1.23
147	TDX-196yyyy	19.6	0.001-1.22
148	TDX-197yyyy	19.7	0.001-1.22
149	TDX-198yyyy	19.8	0.001-1.21
150	TDX-199yyyy	19.9	0.001-1.21
151	TDX-200yyyy	20	0.001-1.20
152	TDX-201yyyy	20.1	0.001-1.19
153	TDX-202yyyy	20.2	0.001-1.19
154	TDX-203yyyy	20.3	0.001-1.18
155	TDX-204yyyy	20.4	0.001-1.18
156	TDX-205yyyy	20.5	0.001-1.17
157	TDX-206yyyy	20.6	0.001-1.17
158	TDX-207yyyy	20.7	0.001-1.16
159	TDX-208yyyy	20.8	0.001-1.15
160	TDX-209yyyy	20.9	0.001-1.15
161	TDX-210yyyy	21	0.001-1.14
162	TDX-211yyyy	21.1	0.001-1.14
163	TDX-212yyyy	21.2	0.001-1.13
164	TDX-213yyyy	21.3	0.001-1.13
165	TDX-214yyyy	21.4	0.001-1.12
166	TDX-215yyyy	21.5	0.001-1.12
167	TDX-216yyyy	21.6	0.001-1.11
168	TDX-217yyyy	21.7	0.001-1.11
169	TDX-218yyyy	21.8	0.001-1.10
170	TDX-219yyyy	21.9	0.001-1.10
171	TDX-220yyyy	22	0.001-1.09
172	TDX-221yyyy	22.1	0.001-1.09
173	TDX-222yyyy	22.2	0.001-1.08

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
174	TDX-223yyyy	22.3	0.001-1.08
175	TDX-224yyyy	22.4	0.001-1.07
176	TDX-225yyyy	22.5	0.001-1.07
177	TDX-226yyyy	22.6	0.001-1.06
178	TDX-227yyyy	22.7	0.001-1.06
179	TDX-228yyyy	22.8	0.001-1.05
180	TDX-229yyyy	22.9	0.001-1.05
181	TDX-230yyyy	23	0.001-1.04
182	TDX-231yyyy	23.1	0.001-1.04
183	TDX-232yyyy	23.2	0.001-1.03
184	TDX-233yyyy	23.3	0.001-1.03
185	TDX-234yyyy	23.4	0.001-1.03
186	TDX-235yyyy	23.5	0.001-1.02
187	TDX-236yyyy	23.6	0.001-1.02
188	TDX-237yyyy	23.7	0.001-1.01
189	TDX-238yyyy	23.8	0.001-1.01
190	TDX-239yyyy	23.9	0.001-1.00
191	TDX-240yyyy	24	0.001-1.00
192	TDX-241yyyy	24.1	0.001-1.00
193	TDX-242yyyy	24.2	0.001-0.99
194	TDX-243yyyy	24.3	0.001-0.99
195	TDX-244yyyy	24.4	0.001-0.98
196	TDX-245yyyy	24.5	0.001-0.98
197	TDX-246yyyy	24.6	0.001-0.98
198	TDX-247yyyy	24.7	0.001-0.97
199	TDX-248yyyy	24.8	0.001-0.97
200	TDX-249yyyy	24.9	0.001-0.96
201	TDX-250yyyy	25	0.001-0.96
202	TDX-251yyyy	25.1	0.001-0.96
203	TDX-252yyyy	25.2	0.001-0.95
204	TDX-253yyyy	25.3	0.001-0.95
205	TDX-254yyyy	25.4	0.001-0.94
206	TDX-255yyyy	25.5	0.001-0.94
207	TDX-256yyyy	25.6	0.001-0.94
208	TDX-257yyyy	25.7	0.001-0.93
209	TDX-258yyyy	25.8	0.001-0.93

Item	Model	Output voltage(V)	output current(A)
210	TDX-259yyyy	25.9	0.001-0.93
211	TDX-260yyyy	26	0.001-0.92
212	TDX-261yyyy	26.1	0.001-0.92
213	TDX-262yyyy	26.2	0.001-0.92
214	TDX-263yyyy	26.3	0.001-0.91
215	TDX-264yyyy	26.4	0.001-0.91
216	TDX-265yyyy	26.5	0.001-0.91
217	TDX-266yyyy	26.6	0.001-0.90
218	TDX-267yyyy	26.7	0.001-0.90
219	TDX-268yyyy	26.8	0.001-0.90
220	TDX-269yyyy	26.9	0.001-0.89
221	TDX-270yyyy	27	0.001-0.89
222	TDX-271yyyy	27.1	0.001-0.89
223	TDX-272yyyy	27.2	0.001-0.88
224	TDX-273yyyy	27.3	0.001-0.88
225	TDX-274yyyy	27.4	0.001-0.88
226	TDX-275yyyy	27.5	0.001-0.87
227	TDX-276yyyy	27.6	0.001-0.87
228	TDX-277yyyy	27.7	0.001-0.87
229	TDX-278yyyy	27.8	0.001-0.86
230	TDX-279yyyy	27.9	0.001-0.86
231	TDX-280yyyy	28	0.001-0.86
232	TDX-281yyyy	28.1	0.001-0.85
233	TDX-282yyyy	28.2	0.001-0.85
234	TDX-283yyyy	28.3	0.001-0.85
235	TDX-284yyyy	28.4	0.001-0.85
236	TDX-285yyyy	28.5	0.001-0.84
237	TDX-286yyyy	28.6	0.001-0.84
238	TDX-287yyyy	28.7	0.001-0.84
239	TDX-288yyyy	28.8	0.001-0.83
240	TDX-289yyyy	28.9	0.001-0.83
241	TDX-290yyyy	29	0.001-0.83
242	TDX-291yyyy	29.1	0.001-0.82
243	TDX-292yyyy	29.2	0.001-0.82
244	TDX-293yyyy	29.3	0.001-0.82
245	TDX-294yyyy	29.4	0.001-0.82

Item	Model	Output voltage(V)	output current(A)
246	TDX-295yyyy	29.5	0.001-0.81
247	TDX-296yyyy	29.6	0.001-0.81
248	TDX-297yyyy	29.7	0.001-0.81
249	TDX-298yyyy	29.8	0.001-0.81
250	TDX-299yyyy	29.9	0.001-0.80
251	TDX-300yyyy	30	0.001-0.80
252	TDX-301yyyy	30.1	0.001-0.80
253	TDX-302yyyy	30.2	0.001-0.79
254	TDX-303yyyy	30.3	0.001-0.79
255	TDX-304yyyy	30.4	0.001-0.79
256	TDX-305yyyy	30.5	0.001-0.79
257	TDX-306yyyy	30.6	0.001-0.78
258	TDX-307yyyy	30.7	0.001-0.78
259	TDX-308yyyy	30.8	0.001-0.78
260	TDX-309yyyy	30.9	0.001-0.78
261	TDX-310yyyy	31	0.001-0.77
262	TDX-311yyyy	31.1	0.001-0.77
263	TDX-312yyyy	31.2	0.001-0.77
264	TDX-313yyyy	31.3	0.001-0.77
265	TDX-314yyyy	31.4	0.001-0.76
266	TDX-315yyyy	31.5	0.001-0.76
267	TDX-316yyyy	31.6	0.001-0.76
268	TDX-317yyyy	31.7	0.001-0.76
269	TDX-318yyyy	31.8	0.001-0.75
270	TDX-319yyyy	31.9	0.001-0.75
271	TDX-320yyyy	32	0.001-0.75
272	TDX-321yyyy	32.1	0.001-0.75
273	TDX-322yyyy	32.2	0.001-0.75
274	TDX-323yyyy	32.3	0.001-0.74
275	TDX-324yyyy	32.4	0.001-0.74
276	TDX-325yyyy	32.5	0.001-0.74
277	TDX-326yyyy	32.6	0.001-0.74
278	TDX-327yyyy	32.7	0.001-0.73
279	TDX-328yyyy	32.8	0.001-0.73
280	TDX-329yyyy	32.9	0.001-0.73
281	TDX-330yyyy	33	0.001-0.73

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
282	TDX-331yyyy	33.1	0.001-0.73
283	TDX-332yyyy	33.2	0.001-0.72
284	TDX-333yyyy	33.3	0.001-0.72
285	TDX-334yyyy	33.4	0.001-0.72
286	TDX-335yyyy	33.5	0.001-0.72
287	TDX-336yyyy	33.6	0.001-0.71
288	TDX-337yyyy	33.7	0.001-0.71
289	TDX-338yyyy	33.8	0.001-0.71
290	TDX-339yyyy	33.9	0.001-0.71
291	TDX-340yyyy	34	0.001-0.71
292	TDX-341yyyy	34.1	0.001-0.70
293	TDX-342yyyy	34.2	0.001-0.70
294	TDX-343yyyy	34.3	0.001-0.70
295	TDX-344yyyy	34.4	0.001-0.70
296	TDX-345yyyy	34.5	0.001-0.70
297	TDX-346yyyy	34.6	0.001-0.69
298	TDX-347yyyy	34.7	0.001-0.69
299	TDX-348yyyy	34.8	0.001-0.69
300	TDX-349yyyy	34.9	0.001-0.69
301	TDX-350yyyy	35	0.001-0.69
302	TDX-351yyyy	35.1	0.001-0.68
303	TDX-352yyyy	35.2	0.001-0.68
304	TDX-353yyyy	35.3	0.001-0.68
305	TDX-354yyyy	35.4	0.001-0.68
306	TDX-355yyyy	35.5	0.001-0.68
307	TDX-356yyyy	35.6	0.001-0.67
308	TDX-357yyyy	35.7	0.001-0.67
309	TDX-358yyyy	35.8	0.001-0.67
310	TDX-359yyyy	35.9	0.001-0.67
311	TDX-360yyyy	36	0.001-0.67
312	TDX-361yyyy	36.1	0.001-0.66
313	TDX-362yyyy	36.2	0.001-0.66
314	TDX-363yyyy	36.3	0.001-0.66
315	TDX-364yyyy	36.4	0.001-0.66
316	TDX-365yyyy	36.5	0.001-0.66
317	TDX-366yyyy	36.6	0.001-0.66

Item	Model	Output voltage(V)	output current(A)
318	TDX-367yyyy	36.7	0.001-0.65
319	TDX-368yyyy	36.8	0.001-0.65
320	TDX-369yyyy	36.9	0.001-0.65
321	TDX-370yyyy	37	0.001-0.65
322	TDX-371yyyy	37.1	0.001-0.65
323	TDX-372yyyy	37.2	0.001-0.65
324	TDX-373yyyy	37.3	0.001-0.64
325	TDX-374yyyy	37.4	0.001-0.64
326	TDX-375yyyy	37.5	0.001-0.64
327	TDX-376yyyy	37.6	0.001-0.64
328	TDX-377yyyy	37.7	0.001-0.64
329	TDX-378yyyy	37.8	0.001-0.63
330	TDX-379yyyy	37.9	0.001-0.63
331	TDX-380yyyy	38	0.001-0.63
332	TDX-381yyyy	38.1	0.001-0.63
333	TDX-382yyyy	38.2	0.001-0.63
334	TDX-383yyyy	38.3	0.001-0.63
335	TDX-384yyyy	38.4	0.001-0.63
336	TDX-385yyyy	38.5	0.001-0.62
337	TDX-386yyyy	38.6	0.001-0.62
338	TDX-387yyyy	38.7	0.001-0.62
339	TDX-388yyyy	38.8	0.001-0.62
340	TDX-389yyyy	38.9	0.001-0.62
341	TDX-390yyyy	39	0.001-0.62
342	TDX-391yyyy	39.1	0.001-0.61
343	TDX-392yyyy	39.2	0.001-0.61
344	TDX-393yyyy	39.3	0.001-0.61
345	TDX-394yyyy	39.4	0.001-0.61
346	TDX-395yyyy	39.5	0.001-0.61
347	TDX-396yyyy	39.6	0.001-0.61
348	TDX-397yyyy	39.7	0.001-0.60
349	TDX-398yyyy	39.8	0.001-0.60
350	TDX-399yyyy	39.9	0.001-0.60
351	TDX-400yyyy	40	0.001-0.60
352	TDX-401yyyy	40.1	0.001-0.60
353	TDX-402yyyy	40.2	0.001-0.60

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
354	TDX-403yyyy	40.3	0.001-0.60
355	TDX-404yyyy	40.4	0.001-0.59
356	TDX-405yyyy	40.5	0.001-0.59
357	TDX-406yyyy	40.6	0.001-0.59
358	TDX-407yyyy	40.7	0.001-0.59
359	TDX-408yyyy	40.8	0.001-0.59
360	TDX-409yyyy	40.9	0.001-0.59
361	TDX-410yyyy	41	0.001-0.59
362	TDX-411yyyy	41.1	0.001-0.58
363	TDX-412yyyy	41.2	0.001-0.58
364	TDX-413yyyy	41.3	0.001-0.58
365	TDX-414yyyy	41.4	0.001-0.58
366	TDX-415yyyy	41.5	0.001-0.58
367	TDX-416yyyy	41.6	0.001-0.58
368	TDX-417yyyy	41.7	0.001-0.58
369	TDX-418yyyy	41.8	0.001-0.57
370	TDX-419yyyy	41.9	0.001-0.57
371	TDX-420yyyy	42	0.001-0.57
372	TDX-421yyyy	42.1	0.001-0.57
373	TDX-422yyyy	42.2	0.001-0.57
374	TDX-423yyyy	42.3	0.001-0.57
375	TDX-424yyyy	42.4	0.001-0.57
376	TDX-425yyyy	42.5	0.001-0.56
377	TDX-426yyyy	42.6	0.001-0.56
378	TDX-427yyyy	42.7	0.001-0.56
379	TDX-428yyyy	42.8	0.001-0.56
380	TDX-429yyyy	42.9	0.001-0.56
381	TDX-430yyyy	43	0.001-0.56
382	TDX-431yyyy	43.1	0.001-0.56
383	TDX-432yyyy	43.2	0.001-0.56
384	TDX-433yyyy	43.3	0.001-0.55
385	TDX-434yyyy	43.4	0.001-0.55
386	TDX-435yyyy	43.5	0.001-0.55
387	TDX-436yyyy	43.6	0.001-0.55
388	TDX-437yyyy	43.7	0.001-0.55
389	TDX-438yyyy	43.8	0.001-0.55

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

Item	Model	Output voltage(V)	output current(A)
390	TDX-439yyyy	43.9	0.001-0.55
391	TDX-440yyyy	44	0.001-0.55
392	TDX-441yyyy	44.1	0.001-0.54
393	TDX-442yyyy	44.2	0.001-0.54
394	TDX-443yyyy	44.3	0.001-0.54
395	TDX-444yyyy	44.4	0.001-0.54
396	TDX-445yyyy	44.5	0.001-0.54
397	TDX-446yyyy	44.6	0.001-0.54
398	TDX-447yyyy	44.7	0.001-0.54
399	TDX-448yyyy	44.8	0.001-0.54
400	TDX-449yyyy	44.9	0.001-0.53
401	TDX-450yyyy	45	0.001-0.53
402	TDX-451yyyy	45.1	0.001-0.53
403	TDX-452yyyy	45.2	0.001-0.53
404	TDX-453yyyy	45.3	0.001-0.53
405	TDX-454yyyy	45.4	0.001-0.53
406	TDX-455yyyy	45.5	0.001-0.53
407	TDX-456yyyy	45.6	0.001-0.53
408	TDX-457yyyy	45.7	0.001-0.53
409	TDX-458yyyy	45.8	0.001-0.52
410	TDX-459yyyy	45.9	0.001-0.52
411	TDX-460yyyy	46	0.001-0.52
412	TDX-461yyyy	46.1	0.001-0.52
413	TDX-462yyyy	46.2	0.001-0.52
414	TDX-463yyyy	46.3	0.001-0.52
415	TDX-464yyyy	46.4	0.001-0.52
416	TDX-465yyyy	46.5	0.001-0.52
417	TDX-466yyyy	46.6	0.001-0.52
418	TDX-467yyyy	46.7	0.001-0.51
419	TDX-468yyyy	46.8	0.001-0.51
420	TDX-469yyyy	46.9	0.001-0.51
421	TDX-470yyyy	47	0.001-0.51
422	TDX-471yyyy	47.1	0.001-0.51
423	TDX-472yyyy	47.2	0.001-0.51
424	TDX-473yyyy	47.3	0.001-0.51
425	TDX-474yyyy	47.4	0.001-0.51

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior written consent of Shenzhen Bontek Compliance Testing Laboratory Co., Ltd.

426	TDX-475yyyy	47.5	0.001-0.51
427	TDX-476yyyy	47.6	0.001-0.50
428	TDX-477yyyy	47.7	0.001-0.50
429	TDX-478yyyy	47.8	0.001-0.50
430	TDX-479yyyy	47.9	0.001-0.50
431	TDX-480yyyy	48	0.001-0.50